ELSEVIER

Environmental and Experimental Botany 38 (1997) 285–286

Environmental and Experimental Botany

Contents of volume 38

VOL. 38 NO. 1 **JULY 1997**

Fourier transform infrared spectra of zucchini squash stored at chilling or non-chilling temperatures
J. G. Buta, Ling Qi and C. Y. Wang (Beltsville, MD, USA) 1

Physiological response of growth chamber-grown cotton plants to the plant growth regulator PGR-IV under water-deficit stress
D. Zhao and D. Oosterhuis (Fayetteville, AR, USA) 7

The poor man's biosphere, including simple techniques for conducting CO_2 enrichment and depletion experiments on aquatic and terrestrial plants
S. B. Idso (Phoenix, AZ, USA) 15

Growth responses of cotton to aldicarb and temperature
V. R. Reddy, Z. Wang (Beltsville, MD, USA) and K. R. Reddy (Mississippi, MS, USA) 39

Nitrogen fixation and nitrate metabolism for growth of six diverse soybean [*Glycine max.* (L.) Merr.] genotypes under low temperature stress
F. Zhang (Kingston, Ont., Canada), M. Dijak, D. L. Smith (Ste. Anne de Bellevue, Que., Canada), J. Lin (Liaoning, China), K. Walsh (Rockhampton, Qld., Canada), H. Voldeng, F. Macdowell (Ottawa, Ont., Canada) and D. B. Layzell (Kingston, Ont., Canada) 49

Light environment, phytochrome and germination of *Datura stramonium* L. seeds
S. Benvenuti (Piero a Grado, Italy) and M. Macchia (Pisa, Italy) 61

Are metal ions accumulated by saxicolous lichens growing in a rural environmentt?
R. A. Armstrong (Birmingham, UK) 73

Estimation of pasture drought severity using canopy red-to-far-red radiance
C. M. Feldhake (Beaver, WV, USA) and D. M. Glenn (Kearneysville, WV, USA) 81

Modified fast rejoining of chromosomes after fractionated X-ray exposures with iron and copper sulfate pretreatments related to uptake detected by PIXE analysis in *Nigella damascena* seeds
K. Tantaoui El Araqi, J. Gilot-Delhalle, I. Roelandts, G. Weber, R. Deltova and J. Moutschen (Liege, Belgium) 87

VOL. 38 NO. 2 **NOVEMBER 1997**

Effect of water stress on frost resistance of oat leaves
C. A. Maldonado (Valdivia, Chile), G. E. Zuñiga (Santiago, Chile), L. J. Corcuera (Santiago, Chile) and M. Alberdi (Valdivia, Chile) 99

Greenbug systemic effect on barley phosphate influx
D. O. Giménez, A. M. Castro, C. P. Rumi, G. N. Brocchi, L. B. Almaráz and H. O. Arriaga (La Plata, Argentina) 109

Effects of the root-knot nematode, *Meloidogyne incognita*, on the sensitivity of tomato to sulfur dioxide and ozone
M. R. Khan and M. W. Khan (Aligarh, India) 117

Response of biomass and nitrogen yield of white clover to radiation and atmospheric CO_2 concentration
R. Manderscheid, J. Bender, U. Schenk and H. J. Weigel (Braunschweig, Germany) 131

Apical dominance—variability among cotton genotypes and its association with resistance to insect herbivory
V. O. Sadras and G. P. Fitt (Narrabri, Australia) 145

Effect of simulated acid fog on needles of fir seedlings
M. Igawa, H. Kameda, F. Maruyama, H. Okochi and I. Otsuka (Yokohama, Japan) 155

The cellular location of Cu in lichens and its effects on membrane integrity and chlorophyll fluorescence
C. Branquinho (Lisboa, Portugal), D. H. Brown (Bristol, UK) and F. Catarino (Lisboa, Portugal) 165

Influence of acidity and potassium saturation on plant uptake of indigenous soil rubidium
G. Tyler (Lund, Sweden) 181

Effects of Ni^{2+} during the early phases of radish (*Raphanus sativus*) seed germination
L. Espen, L. Pirovano and S. M. Cocucci 187

Mechanisms of ethylenediurea (EDU) induced ozone protection: Reexamination of free radical scavenger systems in snap bean exposed to O_3
E. H. Lee (Beltsville, USA), A. Upadhyaya (Beltsville, USA), M. Agrawal (Varanasi, India) and R. A. Rowland (Beltsville, USA) 199

VOL. 38 NO. 3 **DECEMBER 1997**

L'instabilite du phytoplancton et le phenomene des eaux claires dans les etangs de pisciculture
J. Sevrin-Reyssac (Paris, France) 211

Trichome density and its UV-B protective potential are affected by shading and leaf position on the canopy
V. Liakoura (Athens, Greece), M. Stefanou (Patras, Greece), Y. Manetas (Patras, Greece), C. Cholevas (Athens, Greece) and G. Karabourniotis (Patras, Greece) 223

Effect of defoliation on the patterns of allocation of a hydroxamic acid in rye (*Secale cereale*)
H. G. Collantes, E. Gianoli and H. M. Niemeyer (Santiago, Chile) 231

Response of senescing leaves of wheat seedlings to UVA radiation: inhibition of PSII activity in light and darkness
P. N. Joshi (Orissa, India), N. K. Ramaswamy (Mumbai, India), M. K. Raval (Orissa, India), T. S. Desai (Mumbai, India), P. M. Nair (Mumbai, India) and U. C. Biswal (Orissa, India) 237

Carbon efflux rates of fine roots of three tree species decline shortly after excision
Z. Rakonczay, J. R. Seiler and D. L. Kelting (Blacksburg, USA) 243

Effect of elevated CO_2 on orchard grass and red clover grown in mixture at two levels of nitrogen or water supply
M. Meier and J. Fuhrer (Bern, Switzerland) 251

Effect of the embryonic axis and seed coat on protein degradation in *Lens culinaris* cotyledons
M. Cacho (Salamanca, Spain), H. Guerra (Salamanca, Spain), J. Fernández-Tárrago (Salamanca, Spain) and J. Alvarez (León, Spain) 263

Physiological characteristics of tobacco cultivars with contrasting sensitivity to ozone
M. Antonielli (Perugia, Italy), S. Pasqualini (Perugia, Italy), L. Ederli (Perugia, Italy), P. Batini (Perugia, Italy), S. Moscatello (Porano, Italy) and F. Loreto (Roma, Italy) 271

Author index 279

Subject index 281

Contents of volume 38 285